



**CONTRACT**



**RESIDENTIAL**

## PRODUCT INFORMATION

- The Forest Skylight System is a combination of different Forest systems (FMS and MTS)
- Easy assembling and smooth operation guaranteed
- Possible to operate with one motor or a tandem application
- Both 220V FMS motor or 24V Shuttle motor applicable
- Maximum size 7 meter long and 3,2 meter wide (without middle support)
- Bendable; it can be curved with a 20 cm radius or continuously curved
- The fabric can be made to cover wall to wall
- For horizontal and vertical installation
- Four types of systems are applicable: Heavy Duty and Light version, depending on the size of the system  
Both versions have the option to create complete black-out

- ① FSS Drive Shaft Connector
- ② FSS Bearing Drive Shaft
- ③ FSS Aluminium Tube 15mm
- ④ FSS Motor Cover Profile
- ⑤ FSS Cover Profile Return
- ⑥ Velcro
- ⑦ FSS Master Carrier Right
- ⑧ FSS Master Carrier Left
- ⑨ FSS Klick Carrier plus holder for Heavy Duty
- ⑩ FSS Master Carrier Fixer
- ⑪ FSS Rod 8mm
- ⑫ FSS Track
- ⑬ FMS Track


## FOR USE IN

Hotels - offices - residences or any location where a motorized Skylight system is required

## PROFILE


### FMS TRACK

- Weight: 290 gram per meter
- Aluminium Extrusion
- Size: 20 x 20 mm
- Scale 1:1



### MTS TRACK

- Weight: 500 gram per meter
- Aluminum Extrusion
- Size: 19,6 x 30 mm
- Scale 1:1








### FSS ALUMINIUM TUBE

- Weight: 290 gram per meter
- Aluminum Extrusion
- Size: 15 mm Ø
- Scale 1:1




①





### FSS DRIVE SHAFT CONNECTOR



To connect both endpulley of the FMS track with eachother. 7103011000  
10/box

### FSS BEARING DRIVE SHAFT




Placed on the Aluminium Tube for right stability in the return profile for the right stability. 7103012000  
10/box

### FSS ALUMINIUM TUBE 15MM




To connect both end pulleys. Length: 6 mtr 7118305000  
10/bundle

### FSS MOTOR COVER PROFILE



To cover the motor. The fabric can be connected with velcro on the profile. Length: 6 mtr 7101501600  
2/bundle

### FSS COVER PROFILE RETURN



To cover the endpulley and the drive shaft rod rod. The fabric can be connected on the velcro. Length: 6 mtr 7101501610  
2/bundle  
FSS Lid Return Cover 7101501620

### VELCRO



To be used on both profiles to attach the fabric. Height: 25mm Length: 1.20 mtr 3416500004  
1/box

### FSS METAL BRACKET




Strong bracket to fit the Forest Skylight System to the wall or ceiling. 7160001000  
100/box

### FOREST SHUTTLE MOTOR FOR FSS SYSTEM




The motor is especially modified for the FSS system. 7131000000  
1/box

### FOREST ADAPTOR



Universal adaptor. Dimensions: 11 x 5 x 3 cm 1/box  
Plugs available in versions: 5201002000  
EUR 5201001101  
UK 5201001131  
Forest adaptor set complete (incl. wall bracket) 1/box  
5201002002

### FOREST SHUTTLE TANDEM CABLE



5 meter cable applicable when a tandem motor is used.

7113000000  
1/box

### FSS ROD 8MM



The aluminium rod goes through the fabric.  
Length 6.00 mtr.  
Aluminium 10/bundle  
Fibreglas 20/bundle

7135301600  
7135401600


### FSS MASTER CARRIER RIGHT



Will go through a curve. The carrier ensures a maximum overlap.

7114301000  
25/box

### FSS TRACK



5.80 mtr  
7.00 mtr  
To be used as a traverse frame support in combination with The 8mm rod.

7101001580  
7101001700  
5/bundle


### FSS MASTER CARRIER LEFT



Will go through a curve. The carrier ensures a maximum overlap.

7114401000  
25/box


### FSS TOOLSET



Inclusive template and drill.

7150000001  
1/set

### MASTER CARRIER FIXER



To fix the carrier on the under- and overlap.

7116401000  
25/box

### FSS KLICK CARRIER PLUS HOLDER AND 8MM ROD CLIP



To be used in combination with the 15mm and 8mm rod to create a complete black-out.

7130000000  
25/box


### FSS KLICK CARRIER PLUS HOLDER FOR HEAVY DUTY



Can be used in combination with the FSS Track.

7140000000  
25/box

### FSS ROD CLIP



For connecting the traverse rods with eachother.

7130000000  
25/box

### FSS KLICK CARRIER PLUS HOLDER FOR TUBE





Can be used in combination with the 15mm Aluminium Tube.

7110001000  
25/box

### CURTAIN MOTORS AND CONTROLS

For more information about the FMS track components, curtain motors and controls see our FMS and Forest Shuttle brochures.

### DISTRIBUTOR:



# FOREST

DRAPERY HARDWARE